


Bournemouth Poole Dorset 135 28 2015/16 2016/17 2017/18 2018-19 2015/16 2016/17 2017/18 2018-19 2015/16 2016/17 2017/18 2018-19

Number of New Presentations to Structured Treatment

Number of Clients in Structured Treatment




Estimates of Unmet Need

The estimated proportion of people in each area who are dependent on opiates and/or crack cocaine or alcohol not in the treatment system

| Bournemouth | Alcohol | 87.2% | | | | 84.9% |
|-------------|---------------------------------|---------|---------|---------|---------|---------|
| Bourne | Opiates and/or crack cocaine | 42.2% | | | | 59.2% |
| Dorset | Alcohol | 83.5% | | | | 87.8% |
| | Opiates and/or crack cocaine | 50.2% | | | | 55.2% |
| Dorset | Alcohol | 76.5% | | | | 72.9% |
| | Opiates and/or crack cocaine | 50.2% | | | | 43.7% |
| onal | Alcohol | 80.5% | | | | 82.6% |
| National | Opiates and/or crack cocaine | 48.0% | | | | 54.0% |
| | | 2014/15 | 2015/16 | 2016/17 | 2017/18 | 2018/19 |


In 2018-19 we saw an increase in the total number of clients engaged across all three local authorities. This is a positive development as it shows that more people are accessing the support they need. Increasing the number of opiate users engaged in treatment in Bournemouth had been a specific priority for commissioners. However these increased numbers have put services under pressure, prompting a review of the design and delivery of the specialist prescribing service in BCP.

Created and maintained by the Public Health Dorset Intelligence Team. Data Source: NDTMS DOMES & Adult Activity Report



Non-Opiate Successful Completions

Alcohol & Non-Opiate Successful Completions



Completion rates for opiate users across the area are stable but slightly below the national average, reflecting the pressures prescribing services are under. For other substances BCP completion rates are above the national average, while Dorset's are slightly below but again are stable. Although this is not an area of concern, a review of alcohol treatment is being conducted across the area which it is hoped will improve service outcomes for service users who do not use opiates.

Created and maintained by the Public Health Dorset Intelligence Team Data Source: NDTMS Successful Completions Report

Time in treatment & alcohol related hospital admissions




Opiate Clients in treatment for 6 years or more

Number of clients in treatment for stated time period / all clients in treatment at the end of the period




Opiate Clients - Average Time in Continuous Treatment (in years)



Alcohol Related Hospital Admissions

Rate per 100,000 of the population all ages - Narrow (Local Alcohol Profiles for England Indicator 10.01) Where an alcohol-related illness was the main reason for admission or identified as an external cause



Reflecting the challenges faced in Bournemouth regarding engagement and retention in treatment of opiate clients, the length of time spent in treatment and the proportion of clients who have been in treatment for six years or more has fallen significantly. The figure in Dorset continues to rise in line with the national average, while Poole has seen a slight drop in the past year leaving it comparable to Bournemouth.

Alcohol related hospital admissions are higher than the national average and rising in both Bournemouth and Poole while the figure for Dorset is relatively stable. This may have implications for how the acute trusts and other partners address alcohol related issues.


Created and maintained by the Public Health Dorset Intelligence Team Data Source: NDTMS DOMES and Local Alcohol Profiles for England (LAPE)

Blood Borne Viruses




Percentage of Clients in treatment who accepted Hep B immunisation

Percentage of clients in treatment who have completed Hep B course



Hep C latest test date for clients who currently or have previously injected (for clients in treatment during each year)



Hep C Date within last year


Hep C test within 1 year Hep C tested over 1 year ago No Hep C test date recorded Bournemouth shows good and improving performance in relation to delivering blood borne virus interventions, particularly in relation to hep C tests. This is likely to be due to specific targeted work to engage more people in new treatments. Learning from this will be explored to see if similar actions can improve performance in Poole and Dorset.

Public Health

Created and maintained by the Public Health Dorset Intelligence Team Data Source: Halo Substance Misuse Case Management System

Young people in treatment





As noted in previous reports a higher number of young people are engaged in Dorset due to the approach taken locally and this is reflected in the levels of vulnerability.

The number of tier 3 clients has dropped as they are being recorded more accurately as tier 2.

| | FY 2019 | Q1 | 11% | | | | | 89% | | | |
|-------------|---------|----|-----|--------|-----|--|-----|---------------------------------|-----|----------------|-----------------|
| Bournemouth | | Q2 | 8% | | | | 83 | % | | | 8% |
| | Q3 | | 44% | | | | | 56% | | | |
| urne | | Q4 | | | 50% | | | | 33% | 1 | 7% |
| ВО | FY 2020 | Q1 | | | 57% | | | | 43 | 43% | |
| | | Q2 | | 38% | % | | | | 54% | | 8% |
| Dorset | FY 2019 | Q1 | | 42 | 2% | | | | 54% | | <mark>4%</mark> |
| | | Q2 | 2 | 8% | | | | | 72% | | |
| | | Q3 | | 38% | % | | | | 53% | | 9% |
| Dor | | Q4 | 13% | | | | | 87% | | 17% 3% 9 | |
| | FY 2020 | Q1 | | 33% | | | | | 67% | | |
| | | Q2 | 44% | | | | 50% | 17% % 4 9% 6% 59 | 6% | | |
| Poole | FY 2019 | Q1 | 5% | | | | 90 | % | | | 5% |
| | | Q2 | 6% | | | | 89 | % | | | <mark>6%</mark> |
| | | Q3 | 15% | | 85% | | | | | | |
| | | Q4 | 8% | | | | | 92% | | | |
| | FY 2020 | Q1 | 21% | , D | | | | 79 | Э% | | |
| | | Q2 | 21% | 6 | | | | 64% | | - | 14% |

Unplanned Exit

Planned Exit

Transferred not Custody

Vouna Poonto - Closuros


Transferred in Custody

Created and maintained by the Public Health Dorset Intelligence Team Data Source: NDTMS and Halo Substance Misuse Case Management System

Drug related deaths and Naloxone provision



Drug Related Deaths Pan-Dorset




Drug Related Deaths Locations

| | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 | 2017 |
|-----------------------|------|------|------|------|------|------|------|------|
| Bournemouth | 9 | 12 | 14 | | | 19 | 19 | 27 |
| Weymouth and Portland | 3 | 3 | 3 | 8 | 4 | 8 | 3 | 12 |
| Poole | 2 | 6 | 1 | 6 | 5 | 3 | 7 | 7 |
| West Dorset | | 4 | 2 | 3 | 1 | 2 | 3 | 4 |
| North Dorset | 1 | 1 | | 1 | | 3 | 3 | 6 |
| Purbeck | 1 | 2 | | | | 2 | | 2 |
| Christchurch | | | | | | 2 | 2 | 4 |
| East Dorset | | 1 | | | | 1 | 1 | 1 |
| Grand Total | 16 | 29 | 20 | 38 | 31 | 40 | 38 | 63 |
| Believed Suicide | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 | 2017 |
| No | 14 | 29 | 20 | 33 | 28 | 39 | 34 | 57 |
| Yes | 2 | | | 5 | 3 | 1 | 4 | 6 |

Drug related deaths continue to be a priority locally, and while figures for the distribution of naloxone continue to improve there is still work to do to maximise coverage of this valuable intervention, particularly for clients in treatment in Bournemouth.

Created and maintained by the Public Health Dorset Intelligence Team Data Source: Dorset Police DRD Coordinator and Halo



Naloxone kits used since start of project

