






### Percentage of adults (aged 18+) classified as overweight or obese




### Smoking prevalence in adults (18+) - current smokers (GPPS)



### Percentage of physically inactive adults



Admission episodes for alcohol-specific conditions & Admission episodes for alcohol-specific conditions (DSR - per 100,000)




Created and maintained by the Public Health Dorset Intelligence Team

Data source: OHID Finger Tips (Public health profiles - OHID (phe.org.uk))

## 1. SCALE: Number of persons starting a service with LWD






Area

BCP Council

Dorset Council

The pandemic in 2020 saw a drop in registrations for LiveWell Dorset, especially during periods of greater restrictions. Registrations have increased over the last 12 months, however they are not quite at pre-pandemic levels.

## 2. SCALE: Persons starting a service with LWD by pathway




Pathway
Activity
Alcohol
Weight

Inline with the increase in registrations all pathways have grown in volume, although under pre-pandemic levels (except smoking cessation).

Weight continues to be the most common pathway which reflects the level of local prevalence and need.

Clients accessing the smoking pathway has remained steady following the initial increase with the introduction of the NRT and E-cig support through LiveWell Dorset.

## 3. REACH: Percentage of persons starting with LWD living in most deprived quintile








LiveWell Dorset continues to engage a disproportionately high percentage of people living in deprived communities. This is far higher and showing small increases in BCP where a larger number of people are living in more deprived communities.


# 4. REACH: Pathways activated following a positive assessment of need 2021/22



The graph provides an indication of how effective LiveWell Dorset is at engaging people who have identified risk behaviours, regardless of what brought them to the service. 86% of people who have a BMI of 25+ are subsequently starting a weight management pathway whereas around 16% of people who score beyond low consumption levels go on to activate an alcohol pathway (an decrease from 19% in 2020/21). The general trends are consistent across BCP and Dorset Council.

Created and maintained by the Public Health Dorset Intelligence Team Data source: LiveWell Dorset

# 5. IMPACT: Positive change reported at 3 months 2021/22







We have relatively robust data on outcomes of individuals at 3 months but more needs to be done to improve data capture at 6 and 12 months (rates and prefered methods of communication are currently being reviewed).

Outcomes are broadly similar for BCP and Dorset Council with the gap between the two in smoking cessation has narrowed. Weight management pathway success is higher than shown here when including data from weight management providers.